

Attorney's Docket No.:10559-507001/P11812

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) A machine-implemented method comprising ~~comprising~~:

discovering information relating to an accessibility state of one or more communication channels associated with a message recipient, wherein at least one of the communication channels is a cellular phone and the discovering information comprises determining at least one factor chosen from the group comprising: whether the cellular phone is turned on, whether the cellular phone is currently in use, or a geographic location of the cellular phone;

maintaining a data repository comprising the ~~discovered~~ accessibility state information discovered by said discovering and user preferences relating to user preferred message routing paths; and

routing a message to the message recipient based on information in the data repository.

2-3. (Canceled)

Attorney's Docket No.: 10559-507001/P11812

4. (Currently Amended) The method of claim 1 wherein the maintained data repository further comprises information about the message recipient ~~user~~ that facilitates context-appropriate message routing decisions to be made.

5. (Original) The method of claim 4 wherein a context-appropriate message routing decision is based at least in part on a level of obtrusiveness of an associated communications channel.

6. (Currently Amended) The method of claim 1 wherein the ~~discovered~~ accessibility state information discovered by said discovering includes information relating to whether the recipient is reachable via a communications channel.

7. (Currently Amended) The method of claim 1 wherein the ~~discovered~~ accessibility state information discovered by said discovering includes information relating to whether the recipient is available via a communications channel.

8. (Currently Amended) The method of claim 1 wherein the ~~discovered~~ accessibility state information discovered by said discovering includes information relating to whether the

Attorney's Docket No.:10559-507001/P11812

recipient is available via a direct connection or a bridged connection.

9. (Currently Amended) The method of claim 1 wherein routing the message comprises choosing one or more communications channels associated with the message recipient user such that at least one of the following conditions is met: the message is ~~(i)~~ likely to reach the message recipient user, the message is likely to reach the message recipient ~~(ii)~~ in a timely manner, and/or the message is likely to reach the message recipient ~~(iii)~~ at a context-appropriate level of obtrusiveness.

10. (Currently Amended) The method of claim 1 wherein discovering information comprises receiving information from a communications service provider relating to at least one of the message recipient's communications status and/or activity.

11. (Original) The method of claim 1 wherein discovering information comprises receiving information from the message recipient relating to the message recipient's communications status.

12. (Original) The method of claim 1 further comprising providing a capability for a machine to receive from

Attorney's Docket No.: 10559-507001/P11812

a message sender a device-independent identifier uniquely identifying the message recipient.

13. (Currently Amended) Machine-readable instructions, embodied in a medium or a propagated signal, for causing the machine to perform operations comprising:

discover information relating to an accessibility state of one or more communication channels associated with a message recipient, wherein at least one of the communication channels is a cellular phone and said discover information operation comprises determining at least one factor chosen from the group comprising: whether the cellular phone is turned on, whether the cellular phone is currently in use; or a geographic location of the cellular phone;

maintain a data repository comprising the ~~discovered~~ accessibility state information discovered by said discover information operation and user preferences relating to user preferred message routing paths; and

route a message to the message recipient based on information in the data repository.

14. (Canceled)

Attorney's Docket No.: 10559-507001/P11812

15. (Currently Amended) The instructions of claim 13 wherein the instructions to maintain the data repository further comprise instructions to maintain information about the message recipient ~~user~~ that facilitates context-appropriate message routing decisions to be made.

16. (Original) The instructions of claim 15 wherein a context-appropriate message routing decision is based at least in part on a level of obtrusiveness of an associated communications channel.

17. (Currently Amended) The instructions of claim 13 wherein the ~~discovered~~ accessibility state information discovered by said discover information operation includes information relating to whether the recipient is reachable via a communications channel.

18. (Currently Amended) The instructions of claim 13 wherein the ~~discovered~~ accessibility state information discovered by said discover information operation includes information relating to whether the recipient is available via a communications channel.

Attorney's Docket No.:10559-507001/P11812

19. (Currently Amended) The instructions of claim 13 wherein the ~~discovered~~ accessibility state information discovered by said discover information operation includes information relating to whether the recipient is available via a direct connection or a bridged connection.

20. (Currently Amended) The instructions of claim 13 wherein the instructions to route the message comprise instructions to choose one or more communications channels associated with the message recipient user such that at least one the following conditions is met: the message is ~~(i)~~ likely to reach the message recipient user, ~~(ii)~~ the message is likely to reach the message recipient in a timely manner, and/or ~~(iii)~~ the message is likely to reach the message recipient at a context-appropriate level of obtrusiveness.

21. (Currently Amended) The instructions of claim 13 wherein the instructions to discover information comprise instructions to receive information from a communications service provider relating to at least one of the message recipient's communications status and/or activity.

22. (Original) The instructions of claim 13 wherein the instructions to discover information comprise instructions

Attorney's Docket No.:10559-507001/P11812

to receive information from the message recipient relating to the message recipient's communications status.

23. (Original) The instructions of claim 13 further comprising instructions to receive from a message sender a device-independent identifier uniquely identifying the message recipient.

24. (Currently Amended) A message-routing system comprising:

one or more discovery processes configured to discover information relating to an accessibility state of one or more communication channels associated with a message recipient, wherein at least one of the communication channels is a cellular phone and said one or more discovery processes determines at least one factor chosen from the group comprising: whether the cellular phone is turned on, whether the cellular phone is currently in use, or a geographic location of the cellular phone;

a data repository configured to store the ~~discovered~~ accessibility state information discovered by said one or more discovery processes and user preferences relating to user preferred message routing paths; and

Attorney's Docket No.: 10559-507001/P11812

a message routing decision process configured to route a message to the message recipient based on information in the data repository.

25. (Canceled)

26. (Currently Amended) The system of claim 24 wherein the data repository further is configured to store information about the message recipient user that facilitates context-appropriate message routing decisions to be made.

27. (Currently Amended) The system of claim 24 wherein the ~~discovered~~ accessibility state information discovered by said one or more discovery processes includes information relating to whether the recipient is available via a direct connection or a bridged connection.

28. (Currently Amended) The system of claim 24 wherein the message routing decision process is configured to choose one or more communications channels associated with the message recipient user such that at least one the following conditions is met: the message is (i) likely to reach the message recipient user, (ii) the message is likely to reach the message recipient in a timely manner, and/or (iii) the message is likely to reach

Attorney's Docket No.:10559-507001/P11812

the message recipient at a context-appropriate level of obtrusiveness.

29. (Currently Amended) The system of claim 24 wherein the one or more discovery processes are configured to receive information from at least one of a communications service provider or from the message recipient,~~or both,~~ relating to at least one of the message recipient's communications status and/or activity.

30. (Currently Amended) A machine-implemented method comprising:

discovering information relating to an accessibility state of one or more communication channels associated with a message recipient;

maintaining a data repository comprising the ~~discovered~~ accessibility state information discovered by said discovering information;

maintaining a calendaring system storing calendar information about the message recipient ~~user~~ that facilitates context-appropriate message routing decisions to be made; and

routing a message to the message recipient based on information in the data repository and the calendaring system.

Attorney's Docket No.:10559-507001/P11812

31. (Currently Amended) Machine-readable instructions, embodied in a medium or a propagated signal, for causing the machine to perform operations comprising:

discover information relating to an accessibility state of one or more communication channels associated with a message recipient;

maintain a data repository comprising the ~~discovered~~ accessibility state information discovered by said discover information operation;

maintain a calendaring system storing calendar and information about the message recipient ~~user~~ that facilitates context-appropriate message routing decisions to be made; and

route a message to the message recipient based on information in the data repository and the calendaring system.

32. (Currently Amended) A message-routing system comprising:

one or more discovery processes configured to discover information relating to an accessibility state of one or more communication channels associated with a message recipient;

a data repository configured to store the ~~discovered~~ accessibility state information discovered by said one or more discovery processes;

Attorney's Docket No.: 10559-507001/P11812

a calendaring system coupled to the data repository
that stores calendar and instructions to maintain information
about the message recipient user that facilitates context-
appropriate message routing decisions to be made; and

a message routing decision process configured to route
a message to the message recipient based on information in the
data repository and the calendaring system.

33. (Currently Amended) A machine-implemented method
comprising:

discovering information relating to an accessibility
state of one or more communication channels associated with a
message recipient, the discovering information comprising
accessing an e-mail system to determine whether the message
recipient is currently logged in by receiving information from;
~~communications service provider relating to the message~~
~~recipient's communications status and/or activity;~~

maintaining a data repository comprising the
~~discovered~~ accessibility state information discovered by said
discovering information; and

routing a message to the message recipient based on
information in the data repository.

Attorney's Docket No.:10559-507001/P11812

34. (Currently Amended) Machine-readable instructions, embodied in a medium or a propagated signal, for causing the machine to perform operations comprising:

discover information relating to an accessibility state of one or more communication channels associated with a message recipient by accessing an e-mail system to determine whether the message recipient is currently logged in~~receiving information from a communications service provider relating to the message recipient's communications status and/or activity;~~

maintain a data repository comprising the ~~discovered~~ accessibility state information discovered by said discover information operation; and

route a message to the message recipient based on information in the data repository.

35. (Currently Amended) A message-routing system comprising:

one or more discovery processes configured to discover information relating to an accessibility state of one or more communication channels associated with a message recipient by accessing an e-mail system indicating that the message recipient is currently logged in~~receiving information from a communications service provider relating to the message recipient's communications status and/or activity;~~

Attorney's Docket No.:10559-507001/P11812

a data repository configured to store the ~~discovered~~ accessibility state information discovered by said one or more discovery processes; and

a message routing decision process configured to route a message to the message recipient based on information in the data repository.

36. (Currently Amended) A machine-implemented method comprising:

discovering information relating to an accessibility state of one or more communication channels associated with a message recipient, wherein at least one of the communication channels is the Internet and the discovering information comprises pinging an IP address associated with the message recipient and confirming that a response is received from the IP address by receiving information from the message recipient relating to the message recipient's communications status;

maintaining a data repository comprising the ~~discovered~~ accessibility state information discovered by said discovering information; and

routing a message to the message recipient based on information in the data repository.

Attorney's Docket No.:10559-507001/P11812

37. (Currently Amended) A machine-implemented method
~~Machine-readable instructions, embodied in a medium or a~~
~~propagated signal, for causing the machine to perform operations~~
comprising:

discovering information relating to an accessibility
state of one or more communication channels associated with a
message recipient, wherein one or more of the communication
channels is a bridged connection including at least one bridging
device and a recipient device, and wherein the discovering
information comprises interrogating at least one bridging device
regarding the availability of the recipient device ~~by receiving~~
~~information from the message recipient relating to the message~~
~~recipient's communications status;~~

maintaining a data repository comprising the
~~discovered~~ accessibility state information discovered by said
discovering; and

routeing a message to the message recipient through
the at least one bridging device to the recipient device based
on information in the data repository.

38. (Currently Amended) A message-routing system
comprising:

one or more discovery processes configured to discover
information relating to an accessibility state of one or more

Attorney's Docket No. 10559-507001/P11812

communication channels associated with a message recipient ~~by receiving information from the message recipient relating to the message recipient's communications status;~~

a data repository configured to store the ~~discovered~~ accessibility state information discovered by said one or more discovery processes and user preferences relating to message routing paths, wherein the user preferences include user specified communication channel delivery priorities for more than one user specified time slot; and

a message routing decision process configured to route a message to the message recipient based on information in the data repository and the user preferences.

39. (Currently Amended) A machine-implemented method comprising:

~~receiving a device independent identifier uniquely identifying a message recipient;~~

discovering information relating to an accessibility state of one or more communication channels associated with the message recipient;

maintaining a data repository comprising the ~~discovered~~ accessibility state information by said discovering;
accessing an online scheduling program to determine the availability of the message recipient; and

Attorney's Docket No.: 10559-507001/P11812

routing a message to the message recipient based on information in the data repository and the availability of the message recipient determined from the online scheduling program.

40. (Currently Amended) Machine-readable instructions, embodied in a medium or a propagated signal, for causing the machine to perform operations comprising:

receive a device-independent identifier uniquely identifying a message recipient;

discover information relating to an accessibility state of one or more communication channels associated with the message recipient;

maintain a data repository comprising the ~~discovered~~ accessibility state information discovered by said discover information operation;

access an online scheduling program to determine the availability of the message recipient; and

route a message to the message recipient based on information in the data repository and the availability of the message recipient determined from the online scheduling program.

41. (Currently Amended) A message-routing system comprising:

Attorney's Docket No.:10559-507001/P11812

a reception unit configured to receive a device-independent identifier uniquely identifying the message recipient;

one or more discovery processes configured to discover information relating to an accessibility state of one or more communication channels associated with the message recipient, wherein one or more of the communication channels is a cellular phone and said one or more discovery processes determine whether a cellular phone is within a cell signal range based on data packet transmissions;

a data repository configured to store the ~~discovered~~ accessibility state information discovered by said one or more discovery processes; and

a message routing decision process configured to route a message to the message recipient based on information in the data repository.